## Sony CVC 2000 Video Camera





The CVC-2000 video camera was marketed for use with the early CV 2000 series of video recorders. It was sold as an accessory for the CV-2000 and CV-2000D videotape recorders. The camera was also an accessory for use with the TCV-2010 and 2020. This model included in a single case a CV deck and monitor. The CV-2020 was housed in a walnut cabinet, and included a "timing device which may be preset to record programs while the owner is away from home".

The VCK-2000 Camera Kit contained the CVC-2000 camera, tripod, camera cable, microphone, AC extension cord in a case.

### World of Home Entertainment

Elastrated is the world's newest home extertain-ment squipment, SONYS home Volumeredor. The unit is designed to record refecuets in black and white with sound for showing whenever decision.

# FEATURES: Videocurder TCV-2020 The Videocurder model TCV 2020 has all the fraction of the TCV-2010 except for the carry-tor bandle. In Addition





send white with second for showing whitevers described.

FEATERES: Videoconder TCV-2010

Singie reportation, similar to ordinary tags recordence.

SLOW NFEE RECORDING—60NYS

SLOW NFEE RECORDING—60NYS

Tage is a similar to see the second of the second of the videoconder.

Tage is a similar travelling.

Lage is a similar travelling.

Tage is considerate recording.

Tage is considerate in similar in the second of the second of the videoconder. Such details of easily in summer.

Subde that of easily in their norms detailing in summer.

Subde that of easily in their norms detailing requires can be created.

Tages can be strated be now recording, the second with own preferences and other programs on the created.

Tages can be strated be now recording.

Tages can be strated be now recording.

Tages can be strated be now recording to the second with the second of the condition of the second travelling to the second travelling travelli

### SONY VIDEO TAPE MICROPHONE MODEL F-87



MODEL CVC-2000
Size 3.18° (81 + 5.12° (94) ±
Weight
Stondard Lase:
Solice August
Solice Models
Solic



### Background and Development of the Videocorder

Backing returns growing the first process and development, NONY amounted the well's first incommented which take incoming and two years have NONY's whose takes the well's first incoming and which take incoming and two years being NONY's which takes the condent model PVI file approach. Demands were immediate beinging, networks, received, althousance, species fordischarge and process and other one with a five standard parameter. NONY is proved of its month background as the standardiscs of Valence the comments.

constant XOV quarty outside.

Consider hope, Type of the highest quality in constraint in SONY-3 strape alone speal moreology quarter. SONY manufactures in own tage for vision recordings, sage with long little, generated and position individes of moreon SONY quarter, control.

Consider remark spear recorders, SONY is one of the more's proposit manufacturies of high-quarter forms of the control to the control

### SONY CORPORATION OF AMERICA - 580 Fills Ave., New York, N.Y. 10836

Wastern 196 West Florence Avenue, Inglewood, Calif. Control: 1954 N. Millon Park exp. Economy, Elizate 1995 R



"With the use of SONY's Video Camera Kit, a new era of enriched home entertainment has truly begun. Using the simple-to-operate SONY Video Camera and Microphone, anyone may easily record family events, or even their own sports activities for study and improvement. It is easy to see the tremendous advantages of video tape recording. Any recording may be viewed immediately with no tiresome waiting for developing or processing. These home video recordings may be included in the home tape library"

Weight: 5.9 lbs.

Standard lens: F1.9 25mm C mount

Vidicon tube: SONY M2016

Minimum Luminance: 100 Lux (F1.9 lens) AGC range: 100 lux to infinite (F1.9 lens)

Power source: AC 117V 3 60 c/s

Power consumption: 10 W

Transistors: 26 Diodes: 25